MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90423 | PEHANON pH 12,0 - 14,0 | Page: 1/6 |
|---------------------------|---------------------------|-----------|
| Printing date: 09.05.2017 | Date of issue: 28.03.2017 | |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifier REF Product name | 90423 PEHANON pH 12,0 - 14,0 |
|------|--|--|
| | REACH Registration number(s): A registration number for the subs the substance or its use is exclude | see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or ed from registration. |
| | | 1 x 200 strips PEHANON® |
| 1.2 | Relevant identified uses Product for analytical use. | e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16. |
| 1.3 | Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0 | KG |
| 1.4 | Emergency telephone number Information not necessary. | r |
| | You find our current versions of SDS (22 lan | guages) in Internet: http://www.mn-net.com/MSDS |
| SECT | ION 2: Hazard identificatio | n |
| 2.1 | Classification of the substance | e or mixture |
| | 200 strips PEHANON® | |
| | • | |
| | Directive 1999/45/EC | |
| | | - do not need labelling as hazardous |
| | Directive 1999/45/EC | - do not need labelling as hazardous |
| | Directive 1999/45/EC Symbols | - do not need labelling as hazardous do not need labelling as hazardous - |
| | Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms | - |
| 2.2 | Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word | - |
| 2.2 | Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word No hazard class | - |
| 2.2 | Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word No hazard class Label elements | - |

www.mn-net.com



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90423 | PEHANON pH 12,0 - 14,0 | Page: 2/6 |
|---------------------------|---------------------------|-----------|
| Printing date: 09.05.2017 | Date of issue: 28.03.2017 | |
| | | |

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous

Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

200 strips PEHANON®

| oo sun | | | | |
|--------|--------------------|---|-----------------|--------------------|
| | Chemical: cellulos | se | | CAS No.: 9004-34-6 |
| | Concentration: | 90 - <100 % | | |
| | Formula: | (C ₆ H ₁₀ O ₅) _n | | |
| | REACH Reg. No.: | exempt, Annex IV | | |
| | EC No.: | 232-674-9 | | |
| | RTECS: | FJ5691460 | | |
| | TSCA Inventory: | listed | | |
| | KE No.: | KE-05339 | | |
| | acc. 1999/45/EC: | - | acc. CLP (GHS): | not necessary |
| | Chemical: indicate | or dye(s) | | CAS No.: - |
| | Concentration: | 0,1 - <1 % | | |
| | TSCA Inventory: | all <1% | | |
| | acc. 1999/45/EC: | - | acc. CLP (GHS): | not necessary |
| | | | | - |

inhaled.

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

| 4.1.1 | After SKIN Contact Not necessary. Remove dust with wetted tissue. |
|-------|--|
| 4.1.2 | After EYE Contact Not necessary. Rub dust with teardrops from eyes |
| 4.1.3 | After INHALATION of Vapours Not necessary. After inhalation of dust fresh air should be i |
| 4.1.4 | After ORAL Intake Not necessary. |

4.2 Most important symptoms and effects, both acute and delayed

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90423 | PEHANON pH 12,0 - 14,0 | Page: 3/6 |
|---------------------------|---------------------------|-----------|
| Printing date: 09.05.2017 | Date of issue: 28.03.2017 | |

Avoid inhalation of dust. ---

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional Information

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): nwg
- 7.2.1 **Requirements for Stock Rooms and Containers** Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

| 200 strips PEHANON® Chemical: <i>cellulose</i> | | CAS No.: 9004-34-6 |
|--|--|---------------------------------------|
| TRGS 900 (DE): | Staub 1.25 A / 4 E mg/m³ E/e respirable | |
| SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted avo | 3 a ppm TWA 10 (total) / 5 (resp) mg/m³ erage to a reference period of 8 hours, [STEL] Short-term exposure | e limit related to a 15-minute period |
| OSHA: | TWA 15 (total) / 5 (resp) mg/m ³ | |
| Chemical: indicator dve | (s) | CAS No.: - |

indicator dye(s) Chemical:

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany CHEREY-NAGE US: DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 EN ISO 9001: 2008 CERTIFIED Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

 $\langle MN \rangle$



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90 | 0423 date: 09.05.2017 | PEHANON pH 12,0 - 14,0 Date of issue: 28.03.2017 | Page: 4/ |
|---------|---|--|----------------------|
| | dale. 09.05.2017 | Date of issue. 20.03.2017 | |
| 8.2 | Exposure controls Not necessary. | | |
| 8.2.1 | Respiratory Protection Not necessary. | | |
| 8.2.2 | Hand Protection Not necessary. | | |
| 8.2.3 | Eye Protection Not necessary. | | |
| 8.2.4 | Skin Protection Not necessary. | | |
| 8.2.5 | Personal Hygiene Information not necessary. | | |
| SECT | ION 9: Physical and ch | nemical properties | |
| 9.1 | Information on basic phy | sical and chemical properties | |
| | 200 strips PEHANON® Appearance: solid | Colour: colored Odor: odorless | |
| 9.2 | Other information Relevant Properties of Substan | ice Group | |
| SECT | ION 10: Stability and re | eactivity | |
| 10.1 | Reactivity _{None} | | |
| 10.2 | Chemical stability No known instability. | | |
| 10.3 | Possibility of hazardous None. | reactions | |
| 10.4 | Conditions to avoid | | |
| 10.5 | Incompatible materials | n concentrated acids and oxidizing agents. | |
| 10.6 | Hazardous decompositio | n products Il reagents are safety and separated stored. Decompositions are not observed d | uring the expiration |
| SECT | ION 11: Toxicological i | information | |
| 11.1 | Information on toxicolog Following information is valid f | | |
| | 200 strips PEHANON® | | |
| | Chemical: cellulos TSCA Inventory: Exposure Routes: Target Organs: | se CAS No.: 9004-34- listed California Proposition 65 List: not listed inhalation, skin and/or eye contact Eyes, skin, respiratory system | 6 |
| | Symptoms: Australia NICNAS: Japan CSCL/PRTR: | irritation eyes, skin, mucous membrane not listed Canada CEPA 1999: DSL yes not listed | |
| | Japan PDSCL: South Korea TCCA: Korea Exist.Chem.Inventory: LD50 _{orl rat} : | not listed Japan ISHL: not listed not listed KE-05339 >5000 mg/kg | |
| | LC50 _{ihl rat} : LD50 _{drm rbt} : | >5800 _{4h} mg/m³ >2000 mg/kg | |
| | | | www.mn-net.com |



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE and international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68
 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 9 | | PEHANON pH 12,0 - 14,0 | Page: 5/ |
|----------|--|---|---------------------------------|
| Printing | g date: 09.05.2017 | Date of issue: 28.03.2017 | |
| | Chemical: indicator dye(TSCA Inventory: all <1 ⁺ | | CAS No.: - |
| SECT | ION 12: Ecological informa | tion | |
| 12.1 | Toxicity Following information is valid for pure | e substances. | |
| | 200 strips PEHANON® Chemical: cellulose Water hazard class (DE): Storage class (VCI): | nwg 11 | CAS No.: 9004-34-6 |
| | Chemical: indicator Storage class (VCI): | dye(s) 12-13 | CAS No.: - |
| 12.2 | Persistence and degradability not necessary | | |
| 12.3 | Bioaccumulative potential not necessary | | |
| 12.4 | Mobility in soil not necessary | | |
| 12.5 | Results of PBT and vPvB asse no data available | essment | |
| 12.6 | Other adverse effects no additional data available | | |
| | TION 13: Disposal consideration of necessary. | ations | |
| 13.1 | Waste treatment methods GENERAL: Empty solids into municipal | waste, empty liquids diluted into drains. | |
| SECT | ION 14: Transport informat | tion | |
| | 4.1 - 14.4 Not necessary | | |
| 14.5 | Environmental hazards not necessary | | |
| 14.6 | Special precautions for user not necessary | | |
| 14.7 | Transport in bulk according to not applicable | Annex II of MARPOL and the IBC | C Code |
| SECT | ION 15: Regulatory Information | ation | |
| 15.1 | Safety, health and environmer | ntal regulations/legislation specifi | ic for the substance or mixture |
| 15.2 | Chemical safety assessment | | |



Version: 2.4.3

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90423 | PEHANON pH 12,0 - 14,0 | Page: 6/6 |
|---------------------------|---------------------------|-----------|
| Printing date: 09.05.2017 | Date of issue: 28.03.2017 | |
| | | |

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

16.3 Recommended Restriction on Use

None

16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



<mn>