

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Photometer PF-12 Plus Page: 1/6

Printing date: 01.10.2019 Date of issue: 06.06.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 919250

Product name Photometer PF-12 Plus

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

4 x Alkaline Manganese Batteries Type AA

1 x Button cell CR2032, built-in

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

E-mail: sds@mn-net.com (msds@mn-net.com) Tel.: +49 2421 969 0

1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product

2.1 Classification of the substance or mixture

Alkaline Manganese Batteries Type AA

Do not need labelling as hazardous

Signal word

No hazard class

Button cell CR2032, built-in

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

Alkaline Manganese Batteries Type AA

Do not need labelling as hazardous Signal word: -

www.mn-net.com

US:

ACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 919250 Photometer PF-12 Plus Page: 2/6 Printing date: 01.10.2019 Date of issue: 06.06.2018

Button cell CR2032, built-in

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. --

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

This SDS contains information on shipping and transport safety. ---

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

Alkaline Manganese Batteries Type AA

CAS No : -Chemical: alkaline manganese batterv

Classification: No criteria for classification or naming of chemical not required.

Concentration: 99 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Button cell CR2032, built-in

Button cell on circuit board (lithium metal battery) CAS No .: -Chemical:

Classification: No criteria for classification or naming of chemical not required. 99 - <100 %

Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 **After SKIN Contact**

Not necessary.

4.1.2 **After EYE Contact**

Not necessary.

4.1.3 After INHALATION of vapours

Not necessary. --

4.1.4 After ORAL Intake

Not necessary. -

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

IACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 919250 Photometer PF-12 Plus Page: 3/6 Date of issue: 06.06.2018 Printing date: 01.10.2019

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 **Additional information**

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

Not necessary.

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

Reference to other sections 6.4

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI):

Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Alkaline Manganese Batteries Type AA

CAS No .: -Chemical: alkaline manganese battery

Button cell CR2032, built-in

Button cell on circuit board (lithium metal battery) CAS No .: -

8.2 **Exposure controls**

Not necessary

8.2.1 Respiratory protection

Not necessary

8.2.2 Hand protection

Not necessary.

8.2.3 Eye protection

Not necessary.

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR:

DE/international: CH:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 919250 Photometer PF-12 Plus Page: 4/6 Printing date: 01.10.2019 Date of issue: 06.06.2018

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Alkaline Manganese Batteries Type AA

Appearance: solid Colour: black Odor: odorless

Button cell CR2032, built-in

Appearance: solid Colour: colored Odor: odorless

Flammability (solid, gas): Do not transport damaged batteries. Special instruction necessary

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 **Chemical stability**

No known instability.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Not known. ---

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

> In the original package all parts/all reagents are safety and separated stored - protected against short circuits. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Alkaline Manganese Batteries Type AA

Chemical: alkaline manganese battery CAS No.: -

Button cell CR2032, built-in

CAS No .: -Chemical: Button cell on circuit board (lithium metal battery)

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

Alkaline Manganese Batteries Type AA

alkaline manganese battery CAS No .: -

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 919250 Photometer PF-12 Plus Page: 5/6

Date of issue: 06.06.2018 Printing date: 01.10.2019

Button cell CR2032, built-in

Button cell on circuit board (lithium metal battery) CAS No : -Chemical:

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Batteries must be collected separately and disposed acc. law regulations (electronic waste, WEEE). Further: Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations Lithium metal batteries in equipment, not restricted, PI 970: Section II (button cell), No entry in AWB necessary

14.5 **Environmental hazards**

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

16.1.2 List of relevant P phrases

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

None

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR:

DE/international: CH:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Photometer PF-12 Plus Page: 6/6 Printing date: 01.10.2019 Date of issue: 06.06.2018

16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018 SUVA .CH, Limits in air at work 2009, revised on 01.2009 Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances) KÜHN. BIRETT

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

MN>

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany CH: FR:

DE/international: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com