# **MACHEREY-NAGEL**



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050	VISOCOLOR HE Copper	Page: 1/7
Printing date: 01.10.2019	Date of issue: 20.05.2019	

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name	920050 VISOCOLOR HE Copper	
	-	(s): see SECTION 3.1/3.2 or he substance(s) does not exist because the annual tonnage does not require registration or excluded from registration.	
		1 x 80 mL Cu-1 1 x 60 mL Cu-2	
1.2	<b>Relevant identified uses</b> Product for analytical use. Exposure Scenario Cl	s of the substance or mixture and uses advised against Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 ario is integrated into sections 1-16.	
1.3	Details of the supplier of Manufactured by: MACHEREY-NAGEL GmbH Neumann-Neander-Str. 6-8, 5 Tel.: +49 2421 969 0	& Co. KG	
1.4 Emergency telephone number Information not necessary.		mber	
	You find our current versions of SDS	6 (22 languages) in Internet: http://www.mn-net.com/SDS	
SECT	ION 2: Hazard identific	ation	
2.0	Classification of the complete product		
2.1	Classification of the subs	stance or mixture	
	80 mL Cu-1		
	Signal word	Do not need labelling as hazardous	
	No hazard class		
	60 mL Cu-2		
		Do not need labelling as hazardous	
	Signal word	-	
	No hazard class		
2.2	Label elements		
	80 mL Cu-1		

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050	VISOCOLOR HE Copper	Page: 2/7
Printing date: 01.10.2019	Date of issue: 20.05.2019	

### 60 mL Cu-2

Do not need labelling as hazardous Signal word: -

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

80 mL 0		buffer solution No criteria for classification or naming of c all listed listed 25 - <40 % The criteria for classification are not fulfille	·	CAS No.: -
60 mL (		acid bis(cyclohexylidenehydrazide) No criteria for classification or naming of c C <sub>14</sub> H <sub>22</sub> N <sub>4</sub> O <sub>2</sub> cuprizon, 1,2-bis(2-cyclohexylider listed	hemical not required.	CAS No.: 370-81-0
	EC No.: RTECS: Concentration: acc. CLP (GHS):	206-729-2 RO2520000 < 1,00 % The criteria for classification are not fulfille	MFCD:	00001659
	Classification: Formula: Pseudonym: TSCA Inventory: REACH Reg. No.: EC No.: RTECS: KE No.: Concentration:	nyl sulfoxide No criteria for classification or naming of c C <sub>2</sub> H <sub>6</sub> OS DMSO, 1,1'-sulfinylbis-methane listed 01-2119431362-50-xxxx 200-664-3 PV6210000 KE-32367 80 - <100 %	MFCD:	CAS No.: 67-68-5 00002089
	acc. CLP (GHS):	The criteria for classification are not fulfille	ed.	

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

- - -



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050	VISOCOLOR HE Copper	Page: 3/7
Printing date: 01.10.2019	Date of issue: 20.05.2019	

## **SECTION 4: First aid measures**

4.1	<b>Description of first aid measures</b> Place insured person out of danger zone to fresh air immediately.		
4.1.1	After SKIN Contact Not necessary.		
4.1.2	After EYE Contact Not necessary.		
4.1.3	After INHALATION of vapours Not necessary		
4.1.4	After ORAL Intake Not necessary		
4.2	Most important symptoms and effects, both acute and delayed		

### 4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None.

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

### 5.4 Additional information

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Not necessary.
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 **Reference to other sections**

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 12 Water hazard class (DE): 3
- 7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

# MACHEREY-NAGEL



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050 Printing date: 01.10.2019		VISOCOLOR HE Coppe Date of issue: 20.05.201	•
SEC	FION 8: Expo	sure controls/personal protection	
8.1	Control para	imeters	
	<b>80 mL Cu-1</b> Chemical:	citrate buffer solution	CAS No.: -
	<b>60 mL Cu-2</b> Chemical:	2 oxalic acid bis(cyclohexylidenehydrazide)	CAS No.: 370-81-0
	Chemical: DNEL: DNEL	<i>dimethyl sulfoxide</i> 394 <sub>inh</sub> mg/m³ = Derived No-Effect Level (for workers)	CAS No.: 67-68-5
	PNEC PNEC	water) : 17 mg/L C = Predicted No Effected Concentration	
	TRGS 900 (		
	Short-term e	exposure factor: 2 (I), H, Z resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), terati	paenic (Z) not securely excluded / (Y) certainly excluded
	SUVA(CH) I		
8.2	Exposure controls Not necessary.Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing faciliti		sistant to chemicals with floor drainage and washing facilities.
8.2.1	Respiratory Not necessa	<b>y protection</b> ary.	
8.2.2	Hand prote Not necessa		
8.2.3	Eye protect Not necessa		
8.2.4	Skin protect Not necessa		
8.2.5	Personal hy Information	<b>ygiene</b> not necessary.	
SEC	ΓΙΟΝ 9: Phys	ical and chemical properties	

### 9.1 Information on basic physical and chemical properties

80 mL Cu-1 Appearance: liquid pH: Solubility in water:

60 mL Cu-2 Appearance: liquid Flash point:

Colour: slightly yellow 95 °C

Colour: colourless

8-9

0-100 %

Odor: fusty, mouldy

Odor: aminic

### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group** 

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

None

### 10.2 **Chemical stability**

No known instability.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.10.1 E-mail: info@mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9		VISOCOLOR HE Copper	Page: 5/7		
Prinung	g date: 01.10.2019	Date of issue: 20.05.2019			
10.3	Possibility of hazardous reac None.	tions			
0.4	Conditions to avoid Not known				
0.5	Incompatible materials Not known.				
0.6	Hazardous decomposition pr	oducts			
	In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.				
SECT	FION 11: Toxicological info	rmation			
1.1	Information on toxicological effects Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.				
	80 mL Cu-1				
	Chemical: <i>citrate buffer</i> TSCA Inventory: all lis Korea Exist.Chem.Inventory: listed	ted	CAS No.: -		
	60 mL Cu-2				
	Chemical: oxalic acid but TSCA Inventory: listed	is(cyclohexylidenehydrazide) I	CAS No.: 370-81-0		
	Chemical:dimethyl sulfTSCA Inventory:listedKorea Exist.Chem.Inventory:KE-3LD50 <sub>orl rat</sub> :14.5LD50 <sub>drm rat</sub> :40 g/	1 2367 g/kg	CAS No.: 67-68-5		
SEC1	<b>FION 12: Ecological inform</b> <b>Toxicity</b> Following information is valid for pu				
	80 mL Cu-1 Chemical: citrate b	uffer solution	CAS No.: -		
	Water hazard class (DE): Storage class (VCI):	0 12			
		cid bis(cyclohexylidenehydrazide)	CAS No.: 370-81-0		
	Water hazard class (DE): Storage class (VCI):	12			
	Storage class (VCI):	l sulfoxide	CAS No.: 67-68-5		

### 12.2 Persistence and degradability

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany MACHEREY-NAGE US: DE/international: CH: FR: **(MN)** Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-0 +49 24 21 969-199 il: info@mn-net.com ISO 9001 CERTIFIED Fax: +33 388 51 76 88 Fax: Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 920050	VISOCOLOR HE Copper	Page: 6/7
Printing date: 01.10.2019	Date of issue: 20.05.2019	

not necessary

- 12.3 **Bioaccumulative potential** not necessarv
- 12.4 Mobility in soil not necessary
- 12.5 Results of PBT and vPvB assessment no data available
- 12.6 Other adverse effects no additional data available

### SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

> GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessarv
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.
- 15.2 Chemical safety assessment

## SECTION 16: Other information

### 16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice

Regular safety training.

16.3 **Recommended restriction on use** None

#### 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: **FR**· US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF:	920050

Printing date: 01.10.2019

**VISOCOLOR HE Copper** Date of issue: 20.05.2019 Page: 7/7

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

MACHEREY-NAGE (MN> ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com