## **MACHEREY-NAGEL**



## Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92130	pH-Fix 3.6-6.1	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name REACH Registration number(s):	92130 pH-Fix 3.6-6.1 see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or
	the substance or its use is exclude	
		1 x 100 Indicator sticks
1.2	<b>Relevant identified uses</b> Product for analytical use. Exposure Scenario Classific The exposure scenario is in	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16. diagnostic use (IVD) or Accessory for medical use
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone number Information not necessary.	r
	You find our current versions of SDS (22 lan	guages) in Internet: http://www.mn-net.com/MSDS
SECTI	ON 2: Hazard identificatio	n
-		
2.1	Classification of the substanc	e or mixture
	100 Indicator sticks	
	Directive 1999/45/EC	-
	Symbols	do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	100 Indicator sticks	
	Directive 1999/45/EC	
	Symbols:	





Version: 2.4.3



## Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92130 pH-Fix 3.6-6.1 Page: 2/6 Printing date: 09.05.2017 Date of issue: 28.03.2017 S 22

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

#### 2.3 Other hazards

### Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

**Other Hazards** 

10

### **SECTION 3: Composition/Information on Ingredients**

#### 3.1 Substances or 3.2 Mixtures

00 Indi	cator sticks			
	Chemical: cellulos	se		CAS No.: 9004-34-6
	Concentration:	1 - <10 %		
	Formula:	(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>		
	REACH Reg. No.:	exempt, Annex IV		
	EC No.:	232-674-9		
	RTECS:	FJ5691460		
	TSCA Inventory:	listed		
	KE No.:	KE-05339		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: indicate	or dye(s)		CAS No -
	Concentration:	0,01 - <0,1 %		
	TSCA Inventory:	all <1%		
	acc. 1999/45/EC:		acc. CLP (GHS):	not necessary
	Chemical: PVC for	oil (CAS 9002-86-2)		CAS No.: -
	Concentration:	95 - <100 %		
	TSCA Inventory:	listed		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

#### 3.3 Remarks

- - -

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

#### 4.1.1 After SKIN Contact

Not necessary. Remove dust with wetted tissue.

### 4.1.2 After EYE Contact Not necessary. Rub dust with teardrops from eyes

www.mn-net.com

REY-NAGE  $\langle MN \rangle$ EN ISO 9001: 2008 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	2130 g date: 09.05.2017	pH-Fix 3.6-6.1 Date of issue: 28.03.2	Page 2017	: 3/6
	~		2017	
4.1.3	After INHALATION of Var Not necessary. After inhala	oours ation of dust fresh air should be inhaled.		
4.1.4	After ORAL Intake Not necessary.			
4.2	Most important sympto Avoid inhalation of dust	ms and effects, both acute and	d delayed	
4.3	Indication of any immed No additionally recommendation	diate medical attention and spons	ecial treatment needed	
SECT	ION 5: Firefighting m	easures		
5.1		o the fire classification, and, if applicable ▶ FOAM, WATER SPRAY, DRY POWDE	e, a fire blanket must be available in a prominent location in th ER, CARBON DIOXIDE can be used.	ıe
5.2	Special hazards arising None.	from the substance or mixture	'е	
5.3	Advice for firefighters No, for listed product. Product p	backage burns like paper or plastic.		
5.4	Additional Information			
SECT	ION 6: Accidental rele	ease measures		
6.1	Personal precautions, p Not necessary.	protective equipment and eme	rgency procedures	
6.2	Environmental precauti not necessary	ons		
6.3	Methods and material for Clean working area with water.	or containment and cleaning u Flush used water into drains.	qt	
6.4	Reference to other sect	ions		
SECT	ION 7: Handling and	storage		
7.1	<b>Precautions for safe ha</b> Handling in accordance with the	ndling e test instruction, that comes with the pro	oduct.	
7.2	Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11			
7.2.1	Requirements for Stock I	nwg Rooms and Containers ages tightly closed during handling and s	storage.	
7.3	Specific end use(s) Product for analytical use. If CE labelling: Product for in-vit	tro-diagnostic use (IVD) or Accessory for	r medical use	
SECT	ION 8: Exposure cont	trols/personal protection		
8.1	Control parameters			
	<b>100 Indicator sticks</b> Chemical: <i>cellulose</i> TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³ E/e respirable	CAS No.: 9004-34-6	
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted av	3 a ppm TWA 10 (total) / 5 (resp) mg/m³	nort-term exposure limit related to a 15-minute period	
			www.mn-net.c	:om



Tel.: +49 24 21 969-0

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 

 Fax:
 +49 24 21 969-0
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88

 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



## **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9			pH-Fix 3.6-6.1	0.0047	Page: 4
Printin	g date: 09.05.2017		Date of issue: 28.0	J3.2017	
	OSHA:		TWA 15 (total) / 5 (resp) mg/m³		
	Chemical:	indicator dua		CAS No.: -	
		indicator dye			
	Chemical:	PVC foil (CA	S 9002-86-2)	CAS No.: -	
3.2	Exposure co Not necessary.	ntrols			
3.2.1	Respiratory Not necessa	<b>Protection</b> ary.			
3.2.2	Hand Prote Not necessa	ary.			
3.2.3	Eye Protec Not necessa	ary.			
3.2.4	Skin Protect Not necessa	ary.			
3.2.5	Personal H Information	ygiene not necessary.			
	-		hemical properties		
9.1		•	ysical and chemical proper	ties	
	<b>100 Indicat</b> Appearance		Colour: colored	Odor: odorless	
9.2	Other inform Relevant Prope		nce Group		
SEC	FION 10: Stal	oility and	reactivity		
10.1	Reactivity <sub>None</sub>				
10.2	Chemical sta No known instab	-			
10.3	Possibility o	fhazardous	reactions		
10.4	Conditions t	o avoid			
10.5			th concentrated acids and oxidizing	agonte	
0.6	Hazardous o			agents.	
		ckage all parts/	all reagents are safety and separate	d stored. Decompositions are not observed	during the expiration
SEC	FION 11: Tox	icological	information		
1.1	Information Following infor		gical effects for pure substances.		
	100 Indicato				
	Chemical: TSCA Inver Exposure R	outes:	listed California F inhalation, skin and/or eye contac	CAS No.: 9004-34 Proposition 65 List: not listed t	4-6
	Target Orga Symptoms:	ns:	Eyes, skin, respiratory system irritation eyes, skin, mucous mem	brane	
	Australia NI	CNAS:		ada CEPA 1999: DSL yes	
					www.mn-net.com



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92130		pH-Fix 3.6-6.1	Page: 5
Printing	g date: 09.05.2017	Date of issue: 28.03.2017	
	Japan CSCL/PRTR: not listed Japan PDSCL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-05339 LD50 <sub>orl rat</sub> : >5000 mg/k LC50 <sub>ihl rat</sub> : >5800 <sub>4h</sub> mg LD50 <sub>drm rbt</sub> : >2000 mg/k	g/m³	not listed
	Chemical: <i>indicator dye(s)</i> TSCA Inventory: all <1%		CAS No.: -
	Chemical: PVC foil (CAS 9002 TSCA Inventory: listed	2-86-2)	CAS No.: -
SECT	ION 12: Ecological information	n	
12.1	Toxicity Following information is valid for pure sub	stances.	
	<b>100 Indicator sticks</b> Chemical: <i>cellulose</i> Water hazard class (DE): Storage class (VCI):	nwg 11	CAS No.: 9004-34-6
	Chemical: <i>indicator dye(s</i> Storage class (VCI):	s) 12-13	CAS No.: -
	Chemical: PVC foil (CAS	9002-86-2)	CAS No.: -
12.2	Persistence and degradability not necessary		
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB assessn no data available	nent	
12.6	Other adverse effects no additional data available		
	ION 13: Disposal consideratio	ns	
	lot necessary.		
13.1	Waste treatment methods GENERAL: Empty solids into municipal waste	e, empty liquids diluted into drains.	
	ION 14: Transport information	I.	
	<b>4.1 - 14.4</b> Not necessary		
14.5	Environmental hazards not necessary		
	Cussial areas tises for user		

14.6 Special precautions for user not necessary

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 
 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272

US:

## **MACHEREY-NAGEL**



## **Safety Data Sheet**

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92130	pH-Fix 3.6-6.1	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

**14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

### **SECTION 15: Regulatory Information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment

### **SECTION 16: Other Information**

- 16.1 List of R, H and P phrases
- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

16.3 Recommended Restriction on Use None

### 16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

