

# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

VISOCOLOR ECO Iron 2 Page: 1/7

Printing date: 01.10.2019 Date of issue: 15.03.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

REF 931026

Product name VISOCOLOR ECO Iron 2

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 17 mL Fe-1 1 x 5 g Fe-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

#### 1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

### **SECTION 2: Hazard identification**

#### 2.0 Classification of the complete product

#### 2.1 Classification of the substance or mixture

17 mL Fe-1

Do not need labelling as hazardous

Signal word

No hazard class

5 g Fe-2

Do not need labelling as hazardous

Signal word

No hazard class

#### 2.2 Label elements

17 mL Fe-1

Do not need labelling as hazardous

Signal word: -

www.mn-net.com

US:

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931026 VISOCOLOR ECO Iron 2 Page: 2/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

5 g Fe-2

Do not need labelling as hazardous Signal word --

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH > 3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances or 3.2 Mixtures

17 mL Fe-1

Chemical: CAS No .: triazine derivate

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: listed < 1,00 % Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: CAS No .: acetate buffer solution

Classification: No criteria for classification or naming of chemical not required.  $CH_3\ COOH/K/Na^{\bullet}H_2\ O$ 

Formula:

TSCA Inventory: all listed KE No.: listed Concentration: 45 - <60 %

acc. CLP (GHS): The criteria for classification are not fulfilled

5 g Fe-2

L(+)-ascorbic acid Chemical: CAS No.: 50-81-7

Classification: No criteria for classification or naming of chemical not required.

Formula: C<sub>6</sub> H<sub>8</sub> O<sub>6</sub> Pseudonym: vitamin C TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV

200-066-2 FC No:

MFCD: RTFCS: CI7650000 00064328

KE No.: KE-01947 Concentration: 20 - <30 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: sodium chloride CAS No.: 7647-14-5

Classification: No criteria for classification or naming of chemical not required.

Formula: Pseudonym: salt TSCA Inventory: listed

REACH Reg. No.: exempt, Annex V EC No.: 231-598-3 RTECS: VZ4725000 KE No.: KE-31387 Concentration: 50 - <80 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931026 VISOCOLOR ECO Iron 2 Page: 3/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

### **SECTION 4: First aid measures**

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 **After SKIN Contact** 

Not necessary.

4.1.2 **After EYE Contact** 

Not necessary.

4.1.3 After INHALATION of vapours

Not necessary.

4.1.4 After ORAL Intake

Not necessary. -

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

> Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

Additional information 5.4

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

6.2 **Environmental precautions** 

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:

# **MACHEREY-NAGEL**



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931026 VISOCOLOR ECO Iron 2 Page: 4/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

17 mL Fe-1

triazine derivate CAS No .: -Chemical: acetate buffer solution CAS No.: -Chemical:

5 g Fe-2

L(+)-ascorbic acid CAS No.: 50-81-7 Chemical: CAS No.: 7647-14-5 Chemical: sodium chloride

8.2 **Exposure controls** 

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

8.2.1 Respiratory protection

Not necessary.

8.2.2 Hand protection

Not necessary.

8.2.3 Eye protection Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

17 ml Fe-1

Colour: slightly yellow Odor: acetic Appearance: liquid 4-6

pH:

5 g Fe-2

Appearance: powder (solid) Colour: slightly yellow Odor: odorless

#### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group** 

### **SECTION 10: Stability and reactivity**

10.1 Reactivity

None

10.2 **Chemical stability** 

No known instability.

10.3 Possibility of hazardous reactions

None.

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

## MACHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931026 VISOCOLOR ECO Iron 2 Page: 5/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

10.4 Conditions to avoid

Not known. ---

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

> In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

17 mL Fe-1

CAS No .: -Chemical: triazine derivate

TSCA Inventory: listed

Chemical: acetate buffer solution CAS No.: -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

5 g Fe-2

Chemical: L(+)-ascorbic acid CAS No.: 50-81-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-01947 LD50<sub>orl rat</sub>: 11900 mg/kg LD50<sub>ivn mus</sub>: 518 mg/kg

Chemical: sodium chloride CAS No.: 7647-14-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31387 3000 mg/kg LD50<sub>orl rat</sub>: LD50<sub>drm rbt</sub>: 10 g/kg

### **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Following information is valid for pure substances.

17 mL Fe-1

CAS No .: -Chemical: triazine derivate

Storage class (VCI): 12-13

Chemical: acetate buffer solution CAS No .: -

Storage class (VCI):

5 g Fe-2

CAS No.: 50-81-7 Chemical: L(+)-ascorbic acid

Water hazard class (DE): WGK No.: 0737

13 Storage class (VCI):

Chemical: sodium chloride CAS No.: 7647-14-5

Water hazard class (DE): Storage class (VCI): 12-13

#### 12.2 Persistence and degradability

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

## MACHEREY-NAGEL



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931026 VISOCOLOR ECO Iron 2 Page: 6/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

### **SECTION 13: Disposal considerations**

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!)

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

14.5 **Environmental hazards** 

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

## **SECTION 16: Other information**

#### 16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

16.4 **Further information** 

> MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

# **MACHEREY-NAGEI**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 931026 VISOCOLOR ECO Iron 2 Page: 7/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018 SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:

MACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: