# MACHEREY-NAGEI



## Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935016	VISOCOLOR alpha Carbonate alkalinity	Page: 1/6
Printing date: 01.10.2019	Date of issue: 25.07.2018	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name	935016 VISOCOLOR alpha Carbonate alkalinity
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or stance(s) does not exist because the annual tonnage does not require registration or ed from registration.
		1 x
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 ntegrated into sections 1-16.
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	nguages) in Internet: http://www.mn-net.com/SDS
SECT	ION 2: Hazard identificatio	n
2.1	Classification of the substanc	e or mixture
<u> </u>		

#### Classification of the substance of mixture **Z**.1

Signal word

Do not need labelling as hazardous

Hazard identification	Hazard classes/categories	
H290	Met. Corr. 1	

#### 2.2 Label elements

Metal corrosive solutions do not have to be labelled with GHS symbol, signal word, H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2.1.3).

> Do not need labelling as hazardous Signal word: -

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. The sentence H290 "May be corrosive to metals." has only relevance for longer transportation time of larger amounts. The labelling GHS05 would be creating an "OVERLABELLING"(see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3.). ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



## Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935016	VISOCOLOR alpha Carbonate alkalinity	Page: 2/6
Printing date: 01.10.2019	Date of issue: 25.07.2018	

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

**SECTION 3: Composition/information on ingredients** 

#### 3.1 Substances or 3.2 Mixtures

Chemical: <i>hydro</i> Classification:	<i>chloric acid</i> H290, Met. Corr. 1, H314, Sk	in Corr. 1B. H331. Acute <sup>·</sup>	CAS No.: 7647-01-0 Tox. 3 inh.
Formula:	HCI•H <sub>2</sub> O		
Pseudonym:	aqueous hydrogen chloride		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119484862-27-xxxx		
EC No.:	231-595-7	Indice No.:	017-002-01-X
RTECS:	MW4025000		
KE No.:	KE-20189, >10% Toxic 97-1-	203, Acc. Precaution Che	m.
Concentration:	1 - <10 %		
acc. CLP (GHS):	H290, Met. Corr. 1		
Chemical: indica	tor dye(s)		CAS No.: -
Classification:	No criteria for classification or namin	a of chemical not required.	
TSCA Inventory:	all listed, <1%	3	
Concentration:	0,01 - <0,1 %		
acc. CLP (GHS):	The criteria for classification are not	fulfilled.	

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

- - -

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures Place insured person out of danger zone to fresh air immediately. 4.1.1 After SKIN Contact

- Not necessary. 4.1.2
- After EYE Contact Not necessary.
- 4.1.3 After INHALATION of vapours Not necessary. ---
- 4.1.4 After ORAL Intake Not necessary. ---
- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

+1 484 821 0984

+1 484 821 1272



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF:	935016	VISOCOLOR alpha Carbonate alkalinity	Page: 3/6
Printing date: 01.10.2019		Date of issue: 25.07.2018	
5.2	Special hazards arising f	rom the substance or mixture	
5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.			
E 4			

Additional information 5.4

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Not necessary.
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 **Reference to other sections**

### SECTION 7: Handling and storage

7.1	<b>Precautions for safe handling</b> Handling in accordance with the test instruction, that comes with the product.		
7.2	<b>Conditions for safe storage, including any incompatibilities</b> The original product package of MACHEREY-NAGEL allows a safe storage.		
	Storage class (VCI): Water hazard class (DE):	8B 1	
7.2.1	Requirements for stock rooms an Keep original product packages tight	nd containers ntly closed during handling and storage.	

7.3 Specific end use(s) Product for analytical use.

## **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1

Chemical: <i>hydrochloric a</i> DNEL: DNEL = Derived No-Effect	[inh] 8 mg/m³	CAS No.: 7647-01-0
PNEC <sub>(fresh water)</sub> : PNEC = Predicted No Effe	36 µg/L ected Concentration	
EU value: TRGS 900 (DE):	[TWA] 5 ppm / 8 mg/m <sup>3</sup> ; [STEL] 10 ppm/ 15 mg/m³ 2 mL/m³ / 3 mg/m³ E/e respirable	
Short-term exposure factor: skin resorptive (H), respi	2 (I), Y ratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely	excluded / (Y) certainly excluded
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted ave	2 ppm / 3* mg/m³ [C] 5 ppm / 7 mg/m³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit rel	ated to a 15-minute period
OSHA: mg/m³	List of highly hazardous chemicals, toxics and reactives Y	es (TQ = 5000 lbs) n/a; TWA 5 ppm / 7
Chemical: indicator dye(	is)	CAS No.: -

8.2 **Exposure controls** 

Not necessary.Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935	016	VISOCOLOR alpha Carbonate alkalinity	Page: 4/6
Printing date: 01.10.2019		Date of issue: 25.07.2018	
8.2.1	Respiratory protection Not necessary.		
8.2.2	Hand protection Not necessary.		
8.2.3	Eye protection Not necessary.		
8.2.4	Skin protection Not necessary.		
8.2.5	Personal hygiene Information not necessary.		

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: liquid pH:	Colour: green 0-1	Odor: alcoholic
рп. Flash point:	32 °C	
Specific gravity:	0,97 g/cm³	

#### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group** 

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

None

- 10.2 **Chemical stability** No known instability.
- 10.3 Possibility of hazardous reactions None.
- 10.4 Conditions to avoid Not known. ---
- 10.5 Incompatible materials

Not known. 10.6

Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Chemical: hydrod	chloric acid	CAS No.: 7647-01-0
TSCA Inventory:		a Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion (solution)	skin and/or eye contact
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation nose, throat, larynx; o	bugh, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in
animals: laryngeal spasm; p	ulmonary ede	
Australia NICNAS:	not listed	anada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: Dele	terious Substance
Japan ISHL:	listed ≥0,2%/20,1%, Article 57	2 (SDS required)
South Korea TCCA:	Accident Precaution Chemica	Yes
Korea Exist.Chem.Inventory	: KE-20189, >10% Toxic 97-1-2	03, Acc. Precaution Chem.
LD50 <sub>orl rat</sub> :	900 mg/kg	

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	35016 ) date: 01.10.2019	VISOCOLOR alpha Carbonate alkalinit Date of issue: 25.07.2018	ry Page: 5/6
1 minung		Date 01 13340. 20.07.2010	
	LC50 <sub>drm rbt</sub> : >5010	mg/kg	
	Chemical: indicator dye(s TSCA Inventory: all liste	) d, <1%	CAS No.: -
SECT	ION 12: Ecological informat	tion	
12.1	Toxicity		
	Following information is valid for pure	substances.	
	Chemical: hydrochlor PNEC(fresh water) : PNEC = Predicted No Effected Concent LC50(fish/96h :		CAS No.: 7647-01-0
	EC50daphnia/48h : EC50gseudokirchneriella subcapitata/ Water hazard class (DE): Storage class (VCI):	0.492 mg/L	
	Chemical: indicator of Storage class (VCI):	lye(s) 12-13	CAS No.: -
12.2	Persistence and degradability not necessary		
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB assend the second se	ssment	
12.6	Other adverse effects no additional data available		
	ION 13: Disposal considera	tions	
N 13.1	ot necessary. <b>Waste treatment methods</b> GENERAL: Empty solids into municipal w into drains.	vaste, empty liquids diluted into drains. Normally	it is possible to empty small amounts (diluted!)
SECT	ION 14: Transport informati	ion	
14	4.1 - 14.4: No dangerous goods according the	ne transport regulations	
14.5	Environmental hazards		
14.6	Special precautions for user not necessary		
14.7	Transport in bulk according to not applicable	Annex II of MARPOL and the IBC C	ode



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE/international:
 CH:
 FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

Version: M V 4.10.1 E-mail: info@mn-net.com



## Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935016	VISOCOLOR alpha Carbonate alkalinity	Page: 6/6
Printing date: 01.10.2019	Date of issue: 25.07.2018	

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations

15.2 Chemical safety assessment

### SECTION 16: Other information

#### 16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases H290
- May be corrosive to metals. 16.1.2 List of relevant P phrases

P390 Absorb spillage to prevent material damage.

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use None

#### 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: **FR**· US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.10.1 E-mail: info@mn-net.com