# MACHEREY-NAGEI



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031	NANOCOLOR Cyanide 08	Page: 1/10
Printing date: 01.10.2019	Date of issue: 15.03.2019	

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier** 

> REF Product name

985031 NANOCOLOR Cyanide 08

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

> 20 x 2 mL Cyanide 08 (R0) 1 x 11 mL Cyanide 08 (R3) 1 x 20x 12 mg NANOFIX Cyanide 08 (R2)

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** 

Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

#### 1.3 Details of the supplier of the safety data sheet

### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY Tel.: +49 2421 969 0

#### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

E-mail: sds@mn-net.com (msds@mn-net.com)

## SECTION 2: Hazard identification

#### 2.0 Classification of the complete product



Signal word	DANGER
Hazard identification	Hazard classes/categories
EUH031 H302 H314 H315 H319 H334	031 not defined Acute Tox. 4 oral Skin Corr. 1B Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. 1

#### 2.1 Classification of the substance or mixture

### 2 mL Cyanide 08 (R0)

Signal word

Do not need labelling as hazardous

No hazard class



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US:

Tel.:

Fax:

+1 484 821 0984

+1 484 821 1272

E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031	NANOCOLOR Cyanide 08	Page: 2/10
Printing date: 01.10.2019	Date of issue: 15.03.2019	

11 mL Cyanide 08 (R3)

	GHS07
Signal word	WARNING
Hazard identification	Hazard classes/categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2

### 20x 12 mg NANOFIX Cyanide 08 (R2)



#### 2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: WARNING must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

## 2 mL Cyanide 08 (R0)

Do not need labelling as hazardous Signal word: -

## 11 mL Cyanide 08 (R3)



## 20x 12 mg NANOFIX Cyanide 08 (R2)



Signal word: DANGER

H314, H334

Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: Tel.: +49 24 21 969-0 Tel.: Fax: +49 24 21 969-199 Fax: Version: M V 4.10.1 E-mail: info@mn-net.com

+41 62 388 55 00 +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031	NANOCOLOR Cyanide 08	Page: 3/10
Printing date: 01.10.2019	Date of issue: 15.03.2019	

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. --

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, impairments of health when ingested in small quantities. May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

### Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment. PBT: not applicable vPvB: not applicable

Other hazards

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

11

### 2 mL Cyanide 08 (R0)

<b>_</b> - <b>,</b>	Chemical: <i>citrate i</i> Classification: TSCA Inventory: KE No.: Concentration: acc. CLP (GHS):	buffer solution No criteria for classification or naming of chem all listed listed 10 - <25 % The criteria for classification are not fulfilled.	nical not required.	CAS No.: -
mL C	Classification: Formula: Pseudonym: TSCA Inventory:	<i>hydroxide solution</i> (diluted < 2 %) H314, Skin Corr. 1B NaOH•H <sub>2</sub> O diluted soda lye listed		CAS No.: 1310-73-2d
	REACH Reg. No.: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	215-185-5 WB4900000 KE-31487 1 - <2 %	Indice No.:	011-002-00-6
	Chemical: pyridine Classification: Formula: Pseudonym: TSCA Inventory: EC No.:	e-4-carbonic acid (isonicotinic acid) H303, Acute Tox. 5 oral, H315, Skin $C_6 H_5 NO_2$ 4-Pyridinecarboxylic acid listed 200-228-2	Irrit. 2, H319, Eye Irrit.	CAS No.: 55-22-1 2
	RTECS: Concentration: acc. CLP (GHS):	NS1103000 1 - <10 % The criteria for classification are not fulfilled.	MFCD:	00006429



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031		NANOCOL	OR Cyanide 08	Page: 4/10
Printing date: 01.10.2019		Date of issue: 15.03.2019		
	Chemical: 1.3-c	limethylbarbituric acid		CAS No.: 769-42-6
	Classification:	H302, Acute Tox. 4 oral,	H318 Eve Dam 1	0/10/110:: / 00/42/0
	Formula:	$C_6 H_8 N_2 O_3$		
	Pseudonym:	1,3-dimethyl-2,4,6(1H,3H	1,5H)-pyrimidinetrione	
	TSCA Inventory:	listed		
	EC No.:	212-211-7	MFCD:	00006675
	Concentration:	3 - <20 %		
	acc. CLP (GHS):	The criteria for classification are	e not fulfilled.	
20x	12 mg NANOFIX Cyani	de 08 (R2)		
		amine T		CAS No.: 127-65-1
	Classification:	H302, Acute Tox. 4 oral,	H314, Skin Corr. 1B, H334,	Resp. Sens. 1, EUH031, 031 not defined
	Formula:	C7 H7 CINNaO2 S		
	Pseudonym:	tosylchloramide sodium,	Benzenesulfonamide, N-chlo	pro-4-methyl-benzenesulfonamide, sodium salt
	TSCA Inventory:	listed		
	EC No.:	204-854-7	Indice No.:	616-010-00-9
	RTECS:	XT5616800	MFCD:	00000522
	KE No.:	2000-3-1539		
	Concentration:	17 - <30 %		

acc. CLP (GHS): H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H334, Resp. Sens. 1, EUH031, 031 not defined

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

### 4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---



www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE/international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199

Version: MV 4.10.1 E-mail: info@mn-net.com

CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031	NANOCOLOR Cyanide 08	Page: 5/10
Printing date: 01.10.2019	Date of issue: 15.03.2019	

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

#### 5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed

#### 6.2 **Environmental precautions**

not necessary

#### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

#### 6.4 Reference to other sections

see information in section 5.4 ---

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

#### 7.2 Conditions for safe storage, including any incompatibilities

7.2.1	Requirements for stock rooms and conta	iners	
	Water hazard class (DE):	2	
	Storage class (VCI):	8A	
	The original product package of MACHEREY-NA	AGEL allows a safe storage.	

### Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

#### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

	nide 08 (R0) citrate buffer solution	CAS No.: -
	anide 08 (R3) sodium hydroxide solution	CAS No.: 1310-73-2d
Chemical:	pyridine-4-carbonic acid (isonicotinic acid)	CAS No.: 55-22-1



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Fax: Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	85031 NANOCOL	OR Cyanide 08 Page: 6/10	
Printing	g date: 01.10.2019 Date of issu	ie: 15.03.2019	
	Chemical: 1,3-dimethylbarbituric acid	CAS No.: 769-42-6	
	20x 12 mg NANOFIX Cyanide 08 (R2) Chemical: chloramine T NIOSH: not listed [TWA] Time-weighted average to a reference period of 8 hour OSHA: not listed	CAS No.: 127-65-1 s, [STEL] Short-term exposure limit related to a 15-minute period	
8.2	<b>Exposure controls</b> Good ventilation and extraction system in the room, floor resi level of cleanliness must be maintained at the workplace.	stant to chemicals with floor drainage and washing facilities. The highest	
8.2.1	<b>Respiratory protection</b> Use for open access of these substances for example a	<b>Respiratory protection</b> Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.	
8.2.2	Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansel or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.		
8.2.3	<b>Eye protection</b> Yes, safety glasses according EN 166 with integrated sid	le shields or wrap-around protection or face protection.	
8.2.4	Skin protection Recommended to avoid clothing damage, and to avoid c	ontamination with these hazards.	
8.2.5		od in work areas and at outdoor workplaces is prohibited. Avoid contact hich the substance has been spilled, and soak it in water. Wash hands before eating, and then apply protective skin cream.	
SECT	ION 9: Physical and chemical properties	8	
9.1	Information on basic physical and chemical p	roperties	

# 2 mL Cyanide 08 (R0)

Appearance: liquid pH: Solubility in water:	Colour: colourless 5,6 0-100 %	Odor: fusty, mouldy
<b>11 mL Cyanide 08 (R3)</b> Appearance: liquid Solubility in water:	Colour: yellow 0-100 %	Odor: odorless
<b>20x 12 mg NANOFIX Cyanid</b> Appearance: solid pH: Solubility in water:	e 08 (R2) Colour: colourless 5-7 0-50 %	Odor: chloric

#### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group** 

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Strong CORROSIVE, no further data available.

#### 10.2 **Chemical stability**

No known instability.

#### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

MACHEREY-NAGE  $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



# according to Degulations 1007/2006/EC (DEACh) and 2015/020/EU

	85031	NANOCOLOR Cyanide 08		Page: 7/10			
Printing	g date: 01.10.2019	Date of issue: 15.03.2019					
0.4	Conditions to avoid						
	Not necessary. Observe labeled	storage temperature					
0.5	Incompatible materials						
	Avoid contact with strong acids	or alkalines.					
0.6	Hazardous decompositi	on products					
	In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.						
SECT	ION 11: Toxicological	information					
11.1	Information on toxicological effects Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.						
	2 mL Cyanide 08 (R0)						
		buffer solution	CAS No.: -				
	TSCA Inventory: Korea Exist.Chem.Inventory	all listed					
	11 mL Cyanide 08 (R3)						
		m hydroxide solution listed California Propositio	CAS No.: 1310-73-2d				
	TSCA Inventory: Exposure Routes:	inhalation, ingestion, skin and/or eye conta					
	Target Organs:	Eyes, skin, respiratory system					
	Symptoms: Japan CSCL/PRTR:	- not listed, Japan PDSCL: not listed					
	Japan ISHL:	listed ≥1,0%/≥1,0% SDS required					
	Korea Exist.Chem.Inventor LD50 <sub>orl rat</sub>	∕: KE-31487 [< 1%] > 50 g/kg					
	LD50orl mus :	[< 1%] > 4 g/kg					
		ne-4-carbonic acid (isonicotinic acid)	CAS No.: 55-22-1				
	TSCA Inventory: LD50 <sub>orl rat</sub> :	listed 5000 mg/kg					
	LDSCon rat .	3000 mg/kg					
	Chemical: 1.3-di	methylbarbituric acid	CAS No.: 769-42-6				
	TSCA Inventory:	listed	CAS NO.: 709-42-0				
	LD50 <sub>orl rat</sub> :	1780 mg/kg					
	20x 12 mg NANOFIX Cyanide 08 (R2)						
		amine T	CAS No.: 127-65-1				
	TSCA Inventory: Australia NICNAS:	listed California Propositio not listed Canada CEF	n 65 List: not listed 2A 1999: DSL Yes				
	Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	A 1999. DOL 165				
	Japan ISHL:	not listed					
	South Korea TCCA: Korea Exist.Chem.Inventor	not listed /: 2000-3-1539					
	LD50 <sub>orl rat</sub> : ~1000 mg/kg						
	Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities. Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.						
	, ,						
SECT	ION 12: Ecological inf	ormation					
2.1	Toxicity Following information is valid	for more and atoms					

Following information is valid for pure substances. 2 mL Cyanide 08 (R0)



www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: FR: US: CH: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +1 484 821 0984 Tel.: Tel.: +49 24 21 969-199 Fax: +41 62 388 55 05 +1 484 821 1272 Fax: Fax: +33 388 51 76 88 Fax: Version: MV 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031	NANOCOLOR Cyanide 08	Page: 8/10
Printing date: 01.10.2019	Date of issue: 15.03.2019	
Chemical: Water hazard class ( Storage class (VCI):	citrate buffer solution DE): 0 12	CAS No.: -
11 mL Cyanide 08 (R3) Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class (I Storage class (VCI):	45.4 mg/L >100 mg/L DE): nwg WGK No.: 0142	CAS No.: 1310-73-2d
Chemical: Water hazard class ( Storage class (VCI):		CAS No.: 55-22-1
Chemical: Water hazard class ( Storage class (VCI):		CAS No.: 769-42-6
<b>20x 12 mg NANOFIX Cy</b> Chemical: Avoid contact of subs Water hazard class ( Storage class (VCI):	<i>chloramine T</i> stance/mixture to environment. DE): 2 WGK No.: 0640	CAS No.: 127-65-1
12.2 Persistence and degra not necessary	dability	
12.3 Bioaccumulative poter not necessary	ntial	
12.4 Mobility in soil not necessary		
12.5 Results of PBT and vP no data available	vB assessment	
<b>12.6</b> Other adverse effects no additional data available		
SECTION 13: Disposal cor	nsiderations	

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

#### 13.1 Waste treatment methods

## **SECTION 14: Transport information**

14.1. UN number: 14.3. Class:		UN proper shipping Packing group: II	name: Chemical Kit
Road transport	• • • • • •		
Classification code:	M11	Tunnel restriction co	de: E
Limited Quantity:	acc. ADR 3.3	.1/251: see LQ in Alter	native declaration for transportation
Air transport			
PAX:	960	max. weight PAX:	10 KG
CAO:	960	max. weight CAO:	10 KG
Maritime transport		-	
EmS:	F-A, S-P	Storage category:	A

Or use Alternative declaration for transportation:

UN No.: (see below) class 8 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 or



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031 NANOCOLOR Cyanide 08			Page: 9/10		
Printing date: 01.10.2019		Date of issue: 15.03.2019			
14.1 UN number: 14.3 Class: Road transport	3266 8		UN proper shipping name: Packing group: II	Corrosive liquid, basic, inorganic, n	.o.s. (sodium hydroxide solution)
Classification code: Limited Quantity:	C5 1 L		Tunnel restriction code:	E	

Air transport	ΕZ		
PAX:	851	max. weight PAX:	1 L
CAO:	855	max. weight CAO:	30 L
Maritime transport			
EmS:	F-A, S-B	Storage category:	В

#### 14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

#### 14.6 Special precautions for user not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

### 15.2 Chemical safety assessment

not necessary for these small amounts ---

# **SECTION 16: Other information**

#### 16.1 List of H and P phrases

16.1.1	List of relevant H phrases					
	H302	Harmful if swallowed.				
	H314	Causes severe skin burns and eye damage.				
	H315	Causes skin irritation.				
	H319	Causes serious eye irritation.				
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.				
	EUH031	Contact with acids liberates toxic gas.				
16.1.2	List of relevant P phrases					
	P260D	Do not breathe vapours.				
	P260sh	Do not breathe dust/vapours.				
	P261sh	Avoid breathing dust/vapours.				
	P264W	Wash with water thoroughly after handling.				
	P280sh	Wear protective gloves/eye protection.				
	P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.				
	P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].				
	P304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to				
		do. Continue rinsing.				
	P310	Immediately call a POISON CENTER/doctor.				
	P330	Rinse mouth.				
	P342+311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.				

#### 16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: E-mail: sales-ch@mn-net.com

+33 388 68 22 68 +33 388 51 76 88 E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272

E-mail: sales-us@mn-net.com

US:

Tel.:

Fax:



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985031	NANOCOLOR Cyanide 08	Page: 10/10
Printing date: 01.10.2019	Date of issue: 15.03.2019	

### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

## 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.


MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018 SUVA .CH, Limits in air at work 2009, revised on 01.2009 TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany ACHEREY-NAGE DE/international: CH: FR: US: MN> Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com