

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Tin 3 Page: 1/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 985097

Product name NANOCOLOR Tin 3

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

18 x 0.5 mL Tin 3 (R0) 1 x 1 g Tin 3 (R2) 1 x 10 mL Tin 3 (R3) 2 x 10 mL Tin 3 (R4)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. 99089 Erfurt tel. +49 361 730 730 DE: Gemeinsames Giftinformationszentrum (GGIZ)

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

Classification of the complete product 2.0



GHS02



GHS03



GHS05



GHS07



GHS08

US:

Signal word **DANGER**

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2
H272	Ox. Sol. 2
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H314	Skin Corr. 1A
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H335	STOT SE 3

2.1 Classification of the substance or mixture

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 2/14 Printing date: 01.10.2019 Date of issue: 17.04.2019

0.5 mL Tin 3 (R0)



Signal word **DANGER**

Hazard identification Hazard classes/categories H314 Skin Corr. 1A

1 g Tin 3 (R2)







DANGER

Hazard identification Hazard classes/categories H272 Ox. Sol. 2 Acute Tox. 4 oral H302 H315 Skin Irrit. 2 Skin Sens. 1 H317 H319 Eye Irrit. 2 Resp. Sens. 1 STOT SE 3 H334 H335

10 mL Tin 3 (R3)

Signal word



Signal word **DANGER**

Hazard identification Hazard classes/categories H314 Skin Corr. 1B

10 mL Tin 3 (R4)



GHS02

Signal word **DANGER**

Hazard identification Hazard classes/categories H225 Flam. Liq. 2 H290 Met. Corr. 1

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.10.1 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 3/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

> Oxidizing mixtures with signal word: DANGER and H272 must not be labelled with H and P phrases until 125 mL Metal corrosive solutions do not have to be labelled with GHS symbol, signal word, H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2.1.3).

0.5 mL Tin 3 (R0)



GHS05

Signal word: DANGER

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

1 g Tin 3 (R2)







Signal word: DANGER

H317 H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P280sh, P342+311

Avoid breathing dust/vapours. Wear protective gloves/eye protection. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

10 mL Tin 3 (R3)



GHS05

Signal word: DANGER

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

10 mL Tin 3 (R4)



Signal word: DANGER

www.mn-net.com

US:

ACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Tin 3 Page: 4/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary). ---

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 **Substances or 3.2 Mixtures**

0.5 mL Tin 3 (R0)

CAS No.: 7664-93-9 Chemical: sulfuric acid

Classification: H314, Skin Corr. 1B H₂ SO₄ (•H₂ O) Formula: TSCA Inventory: listed

REACH Reg. No.: 01-2119458838-20-xxxx

EC No.: 231-639-5 016-020-00-8 Indice No.:

RTECS: WS5600000 KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem. KE No.:

Concentration: 30 - <51 %

acc. CLP (GHS): H314, Skin Corr. 1B

1 g Tin 3 (R2)

Chemical sodium peroxodisulfate CAS No : 7775-27-1

H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, Classification:

H334, Resp. Sens. 1, H335, STOT SE 3 Formula: Na₂ O₈ S₂ Pseudonym: sodium persulfate

TSCA Inventory: listed

REACH Reg. No.: 01-2119495975-15-xxxx

EC No.: 231-892-1 RTECS: SE0525000 KE No.: KE-12369 Concentration: 80 - <100 %

acc. CLP (GHS): H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2,

H334, Resp. Sens. 1, H335, STOT SE 3

10 mL Tin 3 (R3)

Chemical: CAS No.: 631-61-8 ammonium acetate

Classification: No criteria for classification or naming of chemical not required.

Formula: C₂ H₇ NO₂ TSCA Inventory: listed

01-2119828440-45-xxxx REACH Reg. No.:

EC No.: 211-162-9

RTECS: AF3675000 MFCD: 00013066

KE No.: KE-01629 Concentration: 20 - <40 %

acc. CLP (GHS): The criteria for classification are not fulfilled

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



CAS No.: 64-19-7

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 5/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

> Chemical: acetic acid

> Classification: H226, Flam. Liq. 3, H314, Skin Corr. 1B Formula: C2 H4 O2; CH3-COOH

TSCA Inventory: listed

REACH Reg. No.: 01-2119475328-30-xxxx

EC No.: 200-580-7 Indice No.: 607-002-00-6 RTFCS AF1225000 00036152 MECD:

KE-00013 KE No .: Concentration: 25 - <50 % acc. CLP (GHS): H314, Skin Corr. 1B

10 mL Tin 3 (R4)

Chemical: ethanol CAS No.: 64-17-5

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 603-002-00-5 Indice No : KQ6300000 RTECS: MFCD: 00003568

KE No.: KE-13217 Concentration: 90 - < 98 % acc. CLP (GHS): H225, Flam. Liq. 2

CAS No.: 7647-01-0 Chemical: hydrochloric acid

Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B, H331, Acute Tox. 3 inh.

Formula: HCI•H₂ O

Pseudonym: aqueous hydrogen chloride

TSCA Inventory: listed

REACH Reg. No.: 01-2119484862-27-xxxx

EC No.: 231-595-7 Indice No.: 017-002-01-X RTECS: MW4025000

KE No .: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem. Concentration: 1 - <10 %

H290, Met. Corr. 1 acc. CLP (GHS):

Chemical: 9-phenyl-3-fluorone CAS No.: 975-17-7

Classification: No criteria for classification or naming of chemical not required.

Formula: C₁₉ H₁₂ O₅

Pseudonym: 2,6,7-trihydroxy-9-phenyl-3H-xanthen-3-one TSCA Inventory: listed

213-550-3 MFCD: 00005048 EC No.:

Concentration: < 1,00 %

acc. CLP (GHS): The criteria for classification are not fulfilled

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 6/14 Printing date: 01.10.2019 Date of issue: 17.04.2019

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. --

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. --

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.10.1 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 7/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

721 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

0.5 mL Tin 3 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

[inh] 50 µg/m³ Level (for workers) DNFI . DNEL = Derived No-Effect

 $\begin{array}{cc} PNEC_{(fresh\ water)}: & 2.5\ \mu g/L \\ PNEC = Predicted\ No\ Effected\ Concentration \end{array}$ EU value: 0.1 e mg/m3 TRGS 900 (DE): 0.1 E mg/m³ E/e respirable

Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m3

i: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH:

OSHA: [TWA] 1 mg/m³

1 g Tin 3 (R2)

Chemical: sodium peroxodisulfate CAS No.: 7775-27-1

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

10 mL Tin 3 (R3)

Chemical: ammonium acetate CAS No : 631-61-8

not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: acetic acid CAS No.: 64-19-7

[loc, inh] 25 mg/m³ Level (for workers) DNEL: DNEL = Derived No-Effect PNEC (fresh water): 3.058 mg/L PNEC = Predicted No Effected Concentration

[TWA] 25 / [STEL] 50 mg/m3 FU value: 10 mL/m³ / 25 mg/m³ TRGS 900 (DE): E/e respirable

Short-term exposure factor: 2(I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³

NIOSH:

l: [TWA] 10 ppm / 25 mg/m³; [STEL] 15 ppm / 37 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

10 mL Tin 3 (R4)

Chemical: ethanol CAS No.: 64-17-5

DNEL [derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 mL/m3 / 380 mg/m3

E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 8/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

> SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH:

i: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

hydrochloric acid Chemical CAS No.: 7647-01-0

DNEL: [inh] 8 mg/m³ DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): 36 µg/L PNEC = Predicted No Effected Concentration

FU value: [TWA] 5 ppm / 8 mg/m³; [STEL] 10 ppm/ 15 mg/m³

TRGS 900 (DE): 2 mL/m3 / 3 mg/m3 E/e respirable

Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 3* mg/m³ [C] 5 ppm / 7 mg/m³ NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7

mg/m³

CAS No.: 975-17-7 Chemical: 9-phenyl-3-fluorone

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

0.5 mL Tin 3 (R0)

Appearance: liquid Colour: colourless Odor: odorless

pH: Specific gravity: 1,28 g/cm³

1 g Tin 3 (R2)

Appearance: solid Colour: colourless Odor: odorless

4.3 pH:

Melting point: instable < 200 °C Specific gravity: 2,40 sol. Solubility in water: 0-35 %

10 mL Tin 3 (R3)

Appearance: liquid Colour: colourless Odor: acetic 4-6

pH:

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 9/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

10 mL Tin 3 (R4)

Colour: -Odor: alcoholic Appearance: liquid

pH: 0-1 18 °C Flash point: Specific gravity: 0,79 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. Relevant Properties of Substance Group

Substances are very volantile and form flammable vapour-air mixtures. ---

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

10.2 Chemical stability

No known instability

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. Observe labeled storage temperature. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

0.5 mL Tin 3 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

TSCA Inventory: California Proposition 65 List: not listed listed

ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, teeth

irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis; Symptoms:

dental erosion; eye, skin burns; dermatitis

not listed Canada CEPA 1999: DSL Yes Australia NICNAS:

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

LD50_{orl rat}:

2140 mg/kg [8h] 600/ [4h] 850 mg/m³ LC50_{ihl rat}:

TRGS 905 (DE):

1 g Tin 3 (R2)

Chemical: CAS No.: 7775-27-1 sodium peroxodisulfate

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: Yes (PEC/18) Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-12369 LD50_{orl rat}: 902 mg/kg

Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma

US:

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 10/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

symptoms or breathing difficulties if inhaled.

10 mL Tin 3 (R3)

Chemical: ammonium acetate CAS No.: 631-61-8

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: not listed Canada CEPA 1999: DSL Yes not listed, Japan PDSCL: not listed

Japan CSCL/PRTR: Japan ISHL: not listed

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-01629 LD50_{orl rat}: 632 mg/kg

Chemical: acetic acid CAS No. 64-19-7

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, teeth

Symptoms: irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin,

hyperkeratosis; conjunctivitis, lacrimation (di

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-00013 LD50_{orl rat}: 3310 mg/kg LC50inh rat: [4h] 8.5-12,7 mg/L 1060 mg/kg LD50_{drm rbt}: 4960 mg/kg LD50_{oral mouse}:

10 mL Tin 3 (R4)

Chemical: ethanol CAS No.: 64-17-5

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-13217 LD50_{orl rat}: 6200 mg/kg LC_Lowinl gpg: 21.9 g/m³ LC_Loworl hmn: 1400 mg/kg [4h] 39 g/m³ LC50_{ihl mouse}: LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: hydrochloric acid CAS No.: 7647-01-0

TSCA Inventory: listed California Proposition 65 List: not listed **Exposure Routes:** inhalation, ingestion (solution), skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation nose, throat, larynx; cough, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in

animals: laryngeal spasm; pulmonary ede

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: listed ≥0,2%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem. Korea Exist.Chem.Inventory:

LD50_{orl rat}: 900 mg/kg LC50_{drm rbt}: >5010 mg/kg

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 11/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

> 9-phenyl-3-fluorone CAS No.: 975-17-7 Chemical:

TSCA Inventory: listed

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

0.5 mL Tin 3 (R0)

sulfuric acid CAS No.: 7664-93-9 Chemical:

Avoid contact of substance/mixture to environment. PNEC (fresh water):
PNEC = Predicted No Effected Concentration $2.5 \mu g/L$

LC50_{fish/96h}: [NOEC, 65d] 25 µg/L EC50_{daphnia/48h}: 100 mg/L EC10pseudomonas putita/16h [72h] 100 mg/L

Water hazard class (DE): WGK No.: 0182

Storage class (VCI):

1 g Tin 3 (R2)

sodium peroxodisulfate Chemical: CAS No.: 7775-27-1

Water hazard class (DE): WGK No.: 1352

Storage class (VCI): 5.1 B

10 mL Tin 3 (R3)

Chemical: ammonium acetate CAS No.: 631-61-8

Bio Toxicity: 1/4.5/4.8 LC50_{fish/96h}: 238 mg/L

WGK No.: n.n. Water hazard class (DE):

Storage class (VCI):

Chemical: acetic acid CAS No.: 64-19-7

Avoid contact of substance/mixture to environment. PNEC (fresh water):
PNEC = Predicted No Effected Concentration 3.058 mg/L

LC50_{fish/96h}: [4d] 301-1000 mg/L EC50_{daphnia/48h}: 301-1000 mg/L

IC50_{scenedesmus} quadricauda/72h: 301-1000 mg/L Water hazard class (DE): WGK No.: 0093

-0 17 Dispersion coefficient(octanol-water): Storage class (VCI): 8 B

10 mL Tin 3 (R4)

Chemical: ethanol CAS No.: 64-17-5

PNEC(fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50daphnia magna/48h: >100 mg/L

13400 - 15100 mg/L LC50pimephales promelas/96h: [48h] 8140 mg/L LC50_{leuciscus} idus/96h: LC50_{fish/96h}: 13 g/L EC50_{daphnia/48h}: 9.3-14.2 g/L [7d] 5000 mg/L IC50scenedesmus quadricauda/72h: EC10pseudomonas putita/16h: [EC5] 6500 mg/L Water hazard class (DE): WGK No.: 0096

Dispersion coefficient_(octanol-water): -0.31 Storage class (VCI):

hydrochloric acid Chemical: CAS No.: 7647-01-0

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50_{fish/96h}: 24.6 mg/L EC50_{daphnia/48h}: 0.492 mg/L EC50_{pseudokirchneriella} subcapitata/72h: 0.78 mg/L

WGK No.: 0238 Water hazard class (DE):

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 12/14

Printing date: 01.10.2019 Date of issue: 17.04.2019

> Storage class (VCI): 8 B

Chemical: 9-phenyl-3-fluorone CAS No.: 975-17-7

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping name: Chemical Kit

Class: 14.4. Packing group:

Road transport

M11 Tunnel restriction code:

Classification code: Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport

960 max. weight PAX: 10 KG PAX: CAO: 960 max. weight CAO: 10 KG

Maritime transport

F-A, S-P Storage category: Α FmS:

Or use Alternative declaration for transportation:

UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** (≤30 mL/∑≤500 mL) = ADR/ IATA E2

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sulfuric acid, hydrochloric acid solution)
14.3 Class: 8 14.4 Packing group: II

14.4 Packing group:

Road transport

Classification code:

Limited Quantity: 1 L Tunnel restriction code: F

Excepted Quantity:

Air transport

PAX: max. weight PAX: 851 1 L CAO: 855 max. weight CAO: 30 L

Maritime transport

Storage category: EmS: F-A, S-B В

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Tin 3 Page: 13/14 Printing date: 01.10.2019 Date of issue: 17.04.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

List of H and P phrases 16.1

16.1.1 List of relevant H phrases

H225 Highly flammable liquid and vapour. H272 May intensify fire; oxidizer. H290 May be corrosive to metals. H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed. P260sh Do not breathe dust/vapours. P261sh Avoid breathing dust/vapours.

P264W Wash with water thoroughly after handling. P280sh Wear protective gloves/eye protection.

P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P303+361+353

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P330 Rinse mouth.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P390 Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. P403+233

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985097 NANOCOLOR Tin 3 Page: 14/14 Printing date: 01.10.2019 Date of issue: 17.04.2019

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-08 Adaption of new ethanol denaturation 2016/1867/EU

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-us@mn-net.com

E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com