

Insta-TEST®


25 Pool & Spa Test Strips

25 Tiras de análisis para piscinas y spas

25 Languettes d'analyse pour piscines et spas

NITRATE
NITRATE
NITRATO

 LaMotte



Code 3012-G



Dip pad into sample and immerse for 2 seconds. Remove strip with pad face up. **DO NOT SHAKE OFF EXCESS WATER.** In shade, hold pad level for **60 seconds** and read the strip.
 * Keep wet fingers out of the sample.
 * Close vial tightly after removing strip.
 * Store indoors in a cool, dry, dark place.

Immerger pour 2 secondes dans l'échantillon d'eau. Retirez la bande face vers le haut. **NE PAS SECOUER.** À l'ombre, garder le niveau de la bande pour **60 secondes** et lire.
 * Ne pas immerger les doigts dans l'échantillon.
 * Refermer le capuchon.
 * Entreposer dans un endroit frais, sec et ombragé.

Sumerja la tira en la muestra durante 2 segundos. Retírela con el lado coloreado hacia arriba. **NO SACUDA EL EXCESO DE AGUA.** Mantenga la tira horizontal a la sombra por **60 segundos** y haga la lectura.

* No toque el envase con los dedos.
 * Cierre bien el envase luego de sacar la tira.
 * Guarde el envase en un lugar frío, seco y oscuro.

LaMotte Co., Chestertown, MD 21620 USA • www.lamotte.com/insta



6 37595 14537 3