

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Hardness 20 Page: 1/7

Printing date: 01.10.2019 Date of issue: 15.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 985043

Product name NANOCOLOR Hardness 20

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

20 x 6 mL Hardness 20 (R0) 1 x 5 mL Hardness 20 (R3)

1 x 20x 5 mg NANOFIX Hardness 20 (R2)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product

2.1 Classification of the substance or mixture

6 mL Hardness 20 (R0)

Do not need labelling as hazardous

Signal word

No hazard class

5 mL Hardness 20 (R3)

Do not need labelling as hazardous

Signal word

No hazard class

20x 5 mg NANOFIX Hardness 20 (R2)

Do not need labelling as hazardous

Signal word

No hazard class

www.mn-net.com

ACHEREY-NAGE MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.10.1 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Hardness 20 Page: 2/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

2.2 Label elements

6 mL Hardness 20 (R0)

Do not need labelling as hazardous Signal word: -

5 mL Hardness 20 (R3)

Do not need labelling as hazardous Signal word: -

20x 5 mg NANOFIX Hardness 20 (R2)

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. -

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 **Substances or 3.2 Mixtures**

6 mL Hardness 20 (R0)

Chemical: sodium tetraborate CAS No.: 12267-73-1

Classification: H319, Eye Irrit. 2, H360FD, Repr. 1B

Formula: Na₂ B₄ O₇ TSCA Inventory: not listed

REACH Reg. No.: 01-2119490790-32-xxxx **SVHC listed:** listed (18/06/2010)

EC No.: 215-540-4 Indice No.: 005-011-00-4

RTECS: ED4588000 KE No.: KE-33255

Concentration: 1 - < 4.5 % Correlation factor: x 0.215 (= %B) The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): The criteria for classification are not fulfilled.

5 mL Hardness 20 (R3)

Chemical: ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) CAS No.: 67-42-5

Classification: No criteria for classification or naming of chemical not required.

Formula: C₁₄ H₂₄ N₂ O₁₀

Pseudonvm: 3,12-bis(carboxymethyl)-6,9-dioxa-3,12-diazatetradecanedioic acid

TSCA Inventory: listed

EC No.: 200-651-2

RTECS: AH3760000 MFCD: 0004291 Concentration: < 10,00 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

20x 5 mg NANOFIX Hardness 20 (R2)

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985043 NANOCOLOR Hardness 20 Page: 3/7

Printing date: 01.10.2019 Date of issue: 15.03.2019

> Phthalein purple (phthalein complexon) Chemical: CAS No.: 2411-89-4

Classification: No criteria for classification or naming of chemical not required. Formula: C₃₂ H₃₂ N₂ O₁₂

Pseudonym:

N,N'-[(3-oxo-1(3H)-isobenzofuranylidene)bis[(6-hydroxy-5-methyl-3,1-phenylene)methylene]]bis[N-(carboxymethyl)-glycine

TSCA Inventory: listed

EC No.: 219-318-8 MFCD: 00005911

Concentration: < 1,00 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 **After SKIN Contact**

Not necessary.

4.1.2 After EYE Contact

Not necessary

4.1.3 After INHALATION of vapours

Not necessary. ---

4.1.4 After ORAL Intake

Not necessary. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. -

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 **Additional information**

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Hardness 20 Page: 4/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 6.1D Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

6 mL Hardness 20 (R0)

Chemical: sodium tetraborate CAS No.: 12267-73-1

TRGS 900 (DE): [B] 0.5 mg/m³ E/e respirable Short-term exposure factor: 2 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

[als B][MAK] 0,8e*/[STEL] 0,8e* mg/m3 SUVA(CH) MAK value:

not listed ppm NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed ppm

5 mL Hardness 20 (R3)

ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) CAS No.: 67-42-5

20x 5 mg NANOFIX Hardness 20 (R2)

Phthalein purple (phthalein complexon) CAS No.: 2411-89-4

8.2 **Exposure controls**

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

8.2.1 Respiratory protection

Not necessary.

8.2.2 Hand protection

Not necessary

8.2.3 Eye protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

6 mL Hardness 20 (R0)

Odor: odorless Colour: colourless Appearance: liquid

pH: 9,5-10,5 Specific gravity: 1,03 g/cm³

5 mL Hardness 20 (R3)

Appearance: liquid Colour: colourless Odor: odorless

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985043 NANOCOLOR Hardness 20 Page: 5/7

Printing date: 01.10.2019 Date of issue: 15.03.2019

> 8-10 pH: Specific gravity: 1,0 g/cm³ Solubility in water: 0-100 %

20x 5 mg NANOFIX Hardness 20 (R2)

Appearance: liquid Colour: red Odor: odorless

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 **Chemical stability**

No known instability.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Not known. Observe labeled storage temperature. ---

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

> In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

6 mL Hardness 20 (R0)

Chemical: sodium tetraborate CAS No.: 12267-73-1

TSCA Inventory: not listed California Proposition 65 List: not listed Australia NICNAS: Canada CEPA 1999: not listed not listed

Japan CSCL/PRTR: PRTR: ≥1,0%B class I, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-33255 LD50_{orl rat}: 2660 mg/kg LD50_{drm rbt}: >2000 mg/kg

EU carcinogen: R_D 1B, R_F 1B

5 mL Hardness 20 (R3)

Chemical: ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) CAS No.: 67-42-5

TSCA Inventory: listed LD50_{orl rat}: 3587 mg/kg

20x 5 mg NANOFIX Hardness 20 (R2)

Chemical: Phthalein purple (phthalein complexon) CAS No.: 2411-89-4

TSCA Inventory listed

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NANOCOLOR Hardness 20 Page: 6/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

6 mL Hardness 20 (R0)

CAS No.: 12267-73-1 Chemical: sodium tetraborate

LC50fish/96h: 74 mg/L EC50_{daphnia/48h}: 242_{24h} mg/L IC50_{scenedesmus} quadricauda/72h EC10/96h: 24 mg/L Water hazard class (DE): 1 WGK No.: 0037

Storage class (VCI): 6.1 D

5 mL Hardness 20 (R3)

Chemical: ethylendioxybis(ethylennitrilo)-tetraacetic acid (Titriplex® VI) CAS No.: 67-42-5

Water hazard class (DE): 12-13 Storage class (VCI):

20x 5 mg NANOFIX Hardness 20 (R2)

CAS No.: 2411-89-4 Chemical: Phthalein purple (phthalein complexon)

Water hazard class (DE):

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 **Environmental hazards**

none

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

www.mn-net.com

US:

AACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985043 NANOCOLOR Hardness 20 Page: 7/7 Printing date: 01.10.2019 Date of issue: 15.03.2019

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

None

16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 790/2009/EU adaptation of CLP regulation 1272/2008/EU to technical and scientific progress Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:

MN>

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com